

# Work Order ID 64065

Wednesday, November 24, 2010 8:32:38 AM

Page 1

Item ID: D3436-5

Accept

Setup Start

Revision ID:

Stop

Item Name: Bushing

Start Date: 11/24/2010 Start Qty: 20.00

Cust Item ID:

Required Date: 11/30/2010 Req'd Qty: 20.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3436

Rev A

100

0.00



Hardinge CNC LATHE SMALL

Hardinge

Memo

0.00

Hardinge CNC Lathe Small

Turn as per Folio FA526 and Dwg D3436, Deburr

SA 11/1/11

20 ✓

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

SA 11/1/11

20 ✓

120

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

B.A 11/01/11

20 ✓

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 64065**

Wednesday, November 24, 2010 8:32:38 AM

Page 2

Item ID: D3436-5

Accept

Setup Start

Revision ID:

Stop

Item Name: Bushing

Start Date: 11/24/2010 Start Qty: 20.00

Cust Item ID:

Required Date: 11/30/2010 Req'd Qty: 20.00

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

Identify as per dwg & Stock Location: LARF, 0.00

Packaging

Memo

0.00

Packaging

\*\*\*\*\*STOCK IN LARGE FAB\*\*\*\*\*

140

QC21- Final Inspection - Work Order Release 0.00



QC

Memo

0.00

Quality Control

11/01/12

MF

11-01-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Wednesday, November 24, 2010 8:32:42 AM

Page 1

Work Order ID: 64065



Parent Item: D3436-5



Parent Item Name: Bushing

Start Date: 11/24/2010

Required Date: 11/30/2010

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP A 05.05.11 New issue KJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M4130NT0.373W.049

Purchased

No

100

f

14.0000

0.1083

2.28



4130 RD tube .373 x .049W

SA 11/1/11

Location

Loc Qty

Loc Code

MAT30

14

111329

14

2.524

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries







DESIGN MB	DRAWN BY MB	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED H	APPROVED H	DRAWING NO. <b>D3436</b>	REV. A SHEET 1 OF 4
DATE <b>05.04.28</b>		TITLE <b>MAINTENANCE STEP</b>	SCALE 1:4
A	05.04.28	NEW ISSUE	



D3436-043, LH STEP  
D3436-044, RH STEP  
(NOT SHOWN)



**VIEW A-A**



**WELDING**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 641065

*3/10/11-24*

**NOTES:**

- 1) POSITION PARTS AS PER JIGS DT8772 AND DT8773
- 2) WELD PER DART QSI 004
- 3) FILLET BOTH TOP AND BOTTOM EDGES OF CLAMP ALONG 2.38 I.D. SECTION TO 0.03 RADIUS TO PREVENT SCORING AND SCRATCHING OF SKID CROSS TUBE
- 4) FINISH: POWDER COAT WHITE GLOSS (4.3.5.2) PER DART QSI 005 4.3
- 5) APPLY BLACK ANTI-SKID PAINT AS SHOWN PER DART QSI 005 4.4
- 6) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 7) ALL DIMENSIONS ARE IN INCHES

**RELEASED**  
05.05.27

**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







DESIGN MB	DRAWN BY MB	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. <b>D3436</b>	REV. A SHEET 2 OF 4
DATE <b>05.04.28</b>	TITLE <b>MAINTENANCE STEP</b>		SCALE 1:2

*u/o 44065*



#### **D3436-1 CLAMP**

- 1) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T2500W063)



#### **D3436-5 BUSHING**

- 2) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T0375W049)

**RELEASED**

*05-05-27*

#### **D3436-1/-5, GENERAL NOTES:**

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) ALL DIMENSIONS ARE IN INCHES  
5) BREAK ALL SHARP EDGES 0.005 TO 0.010



**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3436	REV. A SHEET 3 OF 4
DATE 05.04.28		TITLE MAINTENANCE STEP	SCALE 1:2



*W10 64065*



#### **D3436-3 LEFT STEP**

(D3436-4 RIGHT STEP - OPPOSITE, NOT SHOWN)

- 1) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T1000W049)



#### **D3436-7 CAP**

- 2) MATERIAL: AISI 4130N STEEL SHEET PER MIL-S-18729, AMS6350 OR AMS 6351 (REF. DART SPEC. M4130N-S050)

**RELEASED**

*05-05-27*

#### **D3436-3/ -7, GENERAL NOTES:**

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) ALL DIMENSIONS ARE IN INCHES  
5) BREAK ALL SHARP EDGES 0.005 TO 0.010



**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED //	APPROVED //	DRAWING NO. D3436	REV. A SHEET 4 OF 4
DATE 05.04.28		TITLE MAINTENANCE STEP	SCALE 1:1

W/B 64065



RELEASED

05-05-27

### D3436-9 PAD

#### NOTES:

- 1) MATERIAL: 60 DUROMETER NEOPRENE SHEET, 1/8" THICK  
(REF. DART SPEC. M-NEO60-S.125)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.